Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Sweet Haven	CHAPTER 100.1
Address: 98-1274 Hoohuali Place, Pearl City, Hawaii 96782	Inspection Date: December 2, 2020 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance. FINDINGS Substitute Caregiver #1 – Initial 2-step TB clearance unavailable for review. Submit a copy with plan of correction.	DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY A copy of 25tep PPD obtained from Pali Momi Search Dept Dept Dic was dated 2/11/08 and 2/19/08 and subaquent reading during the year.	2/5/21

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (b)	PART 2	215/21
All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance.	<u>FUTURE PLAN</u>	
FINDINGS	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT	
Substitute Caregiver #1 – Initial 2-step TB clearance unavailable for review. Submit a copy with plan of correction.	IT DOESN'T HAPPEN AGAIN?	
	To prevent difficuncy a	
	copy of requilements for	
	personal staffing and	
	finity regulated by posted	
	checher should be posted	
	or the operate should be	
	in the care home book. liquire ments should be completed prior to suploym	ent.
	complete pros a program	
		20

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (g)(3)(I) Fire prevention protection. Type I ARCHs shall be in compliance with, but not limited to, the following provisions: Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either: FINDINGS Resident #1,2,3 — ARCH contains three (3) non self-preserving residents; exceeding the maximum allotted non-self-preserving residents in a Type 1 ARCH.	DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY REGIDENT #3 has been sufpreserving. New or order official.	12/29/20
		6.3

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.	PART 2	
Type I ARCHs shall be in compliance with, but not limited to, the following provisions:	FUTURE PLAN LISE THIS SPACE TO EXPLAIN YOUR EXITEDS	
Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:	In The future, I deate a reminder note to check the	
FINDINGS Resident #1,2,3 – ARCH contains three (3) non self-preserving residents; exceeding the maximum allotted non-self-preserving residents in a Type 1 ARCH.	reminder note to check the	tatu
	to my care home so a down	3112/21
	client.	Owi
	STAT	21 11
	E LICENS	NUR 22
	5	A9 38

Licensee's/Administrator's Signature:
Print Name: Amelia Fogata
Date: 3/22/21

STATE OF HAWAII
DOH-OHCA
STATE LICENSING

71 MR 22 A9:38